

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q3011SPP-655

PAGE 1/5 REV. E

APPLICABLE CUSTOMER (適用客戶)

ALL

APPLICABLE PRODUCT (適用產品)

3011-xxGxxSPB1A

PACKAGING CATEGORY (包裝方式)

TRAY PLATE PACKING

REVISION HISTORY (修訂履歷)

REV.	ECN NO	PAGE (頁次)			
		1	2	3	4
C		Revise the packing materials P/N 修正包材料號			
D		Abandon CT-1.9 paper box 去掉CT-1.9規格紙箱			
E		Change the packaging one to count 更改包裝箱盤數量		30盤/箱改為28盤/箱	

DIVISION Product Development (事業單位) (產品開發課)

APPROVED (核准)

CHECKED (審核)

PREPARED (制表)

liyun 08/02'22

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET


SPEC.NO.(規範編號) Q3011SPP-655

PAGE 2/5 REV. E

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:
(產品擺放圖示)



一.PVC Plate Packing Mode:
(PVC盤包裝方式)

(1).CT-1.6 Box: PET-077 30 PCS.

(CT-1.6 規格的紙箱放PET-077盤 30 PCS)

(2).Put product in each trough fully as shown in diagram.
(產品在盤子中擺放方式如圖所示)

(3).After filling each trough with product fully,stack the xx PVC plates,cover it with transparent upper cover PVC-073 1PCS on the top.
(每盤放滿產品後疊起,在最上面加蓋共用透明上蓋 PVC-073 1PCS)

(4).Stack the XX PET plates filled with product, put them in the paper box in which has been put waterproof bag.
(將放滿產品的XX個PET盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


■ CONFIDENTIAL □ TOP SECRET

SPEC.NO.(規範編號) Q3011SPP-655

PAGE 3/5 REV. E

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode:

(外箱包裝方式)

- (1). Paper box 1.6 standard 1 PCS, as shown in drawing Two.
(紙箱1.6規格 1 PCS, 如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2PCS in all, as shown in drawing One.
(每箱上下各放一塊保麗龍, 共2PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two.
(紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof.
(將放滿產品的XX個PET盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋, 然後放上第二塊保麗龍薄板)
(必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in drawing Three.
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準.

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

										<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
SPEC.NO.(規範編號)	Q3011SPP-655									PAGE:	4/5	REV.	E
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg				
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX		
PAPER BOXES (紙箱)	CT-1.6	1	3011-10G00SPB1A	CT-1.6	3.44	49	28	1470	0.01002	13.25	16.69		
Packing Box (包裝盒)	PET-077	----	3011-14G00SPB1A	CT-1.6	3.44	49	28	1470	0.01235	16.33	19.77		
Packing Box Cover (包裝盒蓋子)	PVC-073	----	3011-16G00SPB1A	CT-1.6	3.44	42	28	1260	0.01355	15.36	18.8		
WATERPROOF BAG (防水袋)	PE 100*70	1	3011-20G00SPB1A	CT-1.6	3.44	42	28	1260	0.01425	16.15	19.59		
Foam (保麗龍)	-----	2	3011-26G00SPB1A	CT-1.6	3.44	35	28	1050	0.01525	14.41	17.85		
DRYING AGENT (干燥劑)	-----	3	3011-30G00SPB1A	CT-1.6	3.44	35	28	1050	0.01623	15.33	18.77		
			3011-34G00SPB1A	CT-1.6	3.44	28	28	840	0.01785	13.49	16.93		
			3011-40G00SPB1A	CT-1.6	3.44	28	28	840	0.01825	13.79	17.23		
			3011-50G00SPB1A	CT-1.6	3.44	21	28	630	0.01922	10.89	14.33		

1.NOIE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

										<input checked="" type="checkbox"/> CONFIDENTIAL <input type="checkbox"/> TOP SECRET			
SPEC.NO.(規範編號)	Q3011SPP-655									PAGE:	5/5	REV.	E
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg				
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX		
PAPER BOXES (紙箱)	CT-1.6	1	3011-60G00SPB1A	CT-1.6	3.44	21	28	630	0.01924	10.98	14.33		
Packing Box (包裝盒)	PET-077	----	3011-64G00SPB1A	CT-1.6	3.44	21	28	630	0.01935	10.97	14.41		
Packing Box Cover (包裝盒蓋子)	PVC-073	----											
WATERPROOF BAG (防水袋)	PE 100*70	1											
Foam (保麗龍)	-----	2											
DRYING AGENT (干燥劑)	-----	3											

1.NOTE: (注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

It doesn't influence the manner of packing with the gold-plated way to print word way.Can amalgamate.

(印字方式跟鍍金方式不影響包裝方式,可以共用)