

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q9392SPP-961	APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	9392-2P02S16N11CxxPA	PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING
PAGE		1/4		REV.		B	

REVISION HISTORY (修訂履歷)

REV.	ECN NO.	PAGE (頁次)							
		1	2	3	4				
A		New Version 新版發行							
B		Item number refresh 刷新料号							

DIVISION (事業單位)	Product Develop (產品開發課)	APPROVED (核准)	CHECKED (審核)	DE: PE:	PREPARED (制表)	ZJ 07/07'18
-----------------	-------------------------	---------------	--------------	---------	---------------	-------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


PACKAGING SPECIFICATION (包裝作業規範)

SPEC.NO.(規範編號) Q9392SPP-961


■ CONFIDENTIAL □ TOP SECRET	
PAGE	2/4
REV.	B

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備注)



(Drawing 1-1)
(圖1-1)



(Drawing 2)
(圖2)



(Drawing 1-2)
(圖1-2)

一.PVC Plate Packing Mode: (PVC盤包裝方式)

1.Each PET plate put 84PCS products (whether products put way meet picture 1-2), and add cover 1PCS on each plate, the cover should be booked with the plate together, so as not to cause the products to fall scattered.

每個PET盤中放84PCS產品(產品擺放方式見圖1-2),并在每個盤子上面加蓋子1PCS,蓋子要與底盤訂在一起,以免造成產品散落。

2.The label of minimum supplies label (the design of the supplies label is such as Fig. 7) and season is stuck separately on each cover, such as Fig. 2.

在每個蓋子的上面分別貼批次標籤(樣式如圖2)與季節標籤,如圖2。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
PAGE	3/4	REV.	B


SPEC.NO.(規範編號) Q9392SPP-961

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備注)



(Drawing 4)
(圖4)



(Drawing 5)
(圖5)



(Drawing 6)
(圖6)

一. Outer Box Packing Mode: (外箱包裝方式)

1. Fetching CT-0.9 1 carton, **xx** plates filled with the products are put, direction must unanimous, direction must unanimous, put one foam board in the upper and lower of the paper box, seal the other case upper strata.

取**CT-0.9**紙箱1個, 將裝滿產品的**xx**個盤子放入, 方向須一致, 每箱上下各放一塊保麗龍, 將外箱上層封口。

2. .Need to stick 1PCS of certificate of quality on each carton terminal surface.

在每個紙箱端面需要貼合格証**1PCS**。

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準。

歐品電子(昆山)有限公司

OUIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL

TOP SECRET

SPEC. NO. (規範編號)		Q9392SPP-961									
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NUMBER (料號)	Q' TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N. W. /PCS	N. W. /BOX	G. W. /BOX
PAPER BOXES (紙箱)	CT-0.9	1	9392-2P02S16N11CxxPA	CT-0.9	4.49	84	14	1176	0.00379	4.46	8.94
Packing Box (包裝盒)	PET-9392-027	14									
Packing Box Cover (包裝盒蓋子)	PET-9392-028	14									
WATERPROOF BAG (防水袋)	PE 100*90	1									
Foam (保麗龍)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1. NOTE:

(注意)
When the finished products have been made, take the actual weight as the standard of gross weight in each box.
(成品出貨時, 每箱之毛重應以實測重量為準)

When the finished products have been made, stick the proper designation list on the box according to product demand.
(成品出貨時, 依據出貨要求貼上相對應的標籤單)

CT-1.6 Produce goods taiwan . (CT-1.6出貨台灣)

It doesn't influence the manner of packing with the gold-plated way to print word way, Can amalgamate. (印字方式跟鍍金方式不影響包裝方式, 可以共用)