

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q2045SPP-128		APPLICABLE CUSTOMER (適用客戶) ALL		APPLICABLE PRODUCT (適用產品) 2045-2XxxGxxSA(-Axxx)		PAGE 1/6	REV. F
						PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING

REVISION HISTORY (修訂履歷)

ECN REV. NO	PAGE (頁次)								
	1	2	3	4					
D	Change SPP as standard. (改為標準SPP.)								
E	ADD New Type (新增料號.)								
F	Modify the packing quantity (修改包裝數量.)								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表)	zbs 09/09'16
-----------------	-----------------------------	---------------	--------------	---------------	--------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


<input checked="" type="checkbox"/> CONFIDENTIAL	<input type="checkbox"/> TOP SECRET		
PAGE	2/6	REV.	F

SPEC.NO.(規範編號) Q2045SPP-128

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:
(產品擺放圖示)



- 一.PVC Plate Packing Mode:
(PVC盤包裝方式)
- (1).CT-0.9Box: PVC-2045-02 40 PCS.
(CT-0.9 規格的紙箱放PVC-2045-02盤 40 PCS)
 - (2).Put product in each trough fully as shown in diagram.
(產品在盤子中擺放方式如圖所示)
 - (3).After filling each trough with product fully,cover it with transparent upper cover PVC-2045-02 1PCS。
(每盤放滿產品後,加蓋透明上蓋 PVC-2045-02 1PCS)
 - (4).Stack the XX PVC plates filled with product, put them in the paper box in which has been put waterproof bag.
(將放滿產品的XX個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.


PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL		<input type="checkbox"/> TOP SECRET	
PAGE	3/6	REV.	F


SPEC.NO.(規範編號) Q2045SPP-128

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備注)



XX Plates
(XX盤)
Drawing One
(圖一)



Waterproof Bag
(防水袋)
Drawing Two
(圖二)



Drawing Three
(圖三)

一. Outer Box Packing Mode:

(外箱包裝方式)

- (1). Paper box 0.9 standard 1 PCS, as shown in drawing Two.
(紙箱 0.9 規格 1 PCS, 如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2 PCS in all, as shown in drawing One.
(每箱上下各放一塊保麗龍, 共 2 PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two.
(紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof.
(將放滿產品的 XX 個 PVC 盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1 PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋, 然後放上第二塊保麗龍薄板)
(必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in drawing Three.
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2045SPP-128										PAGE:	4/6	REV.	F
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg						
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX				
PAPER BOXES (紙箱)	CT-0.9	1	2045-2X02GxxSA(-Axxx)	CT-0.9	3.75	506	40	20240	0.000437	8.84	12.59				
Packing Box (包裝盒)	PVC-2045-02	----	2045-2X03GxxSA(-Axxx)	CT-0.9	3.75	341	40	13640	0.0006555	8.94	12.69				
			2045-2X04GxxSA(-Axxx)	CT-0.9	3.75	253	40	10120	0.000874	8.84	12.59				
			2045-2X05GxxSA(-Axxx)	CT-0.9	3.75	198	40	7920	0.0010925	8.65	12.40				
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----	2045-2X06GxxSA(-Axxx)	CT-0.9	3.75	165	40	6600	0.001311	8.65	12.40				
			2045-2X07GxxSA(-Axxx)	CT-0.9	3.75	143	40	5720	0.0015295	8.75	12.50				
			2045-2X08GxxSA(-Axxx)	CT-0.9	3.75	121	40	4840	0.001748	8.46	12.21				
WATERPROOF BAG (防水袋)	100*70	1	2045-2X09GxxSA(-Axxx)	CT-0.9	3.75	110	40	4400	0.0019665	8.65	12.40				
			2045-2X10GxxSA(-Axxx)	CT-0.9	3.75	99	40	3960	0.002185	8.65	12.40				
			2045-2X11GxxSA(-Axxx)	CT-0.9	3.75	88	40	3520	0.0024035	8.46	12.21				
Foam (保麗龍)	-----	2	2045-2X12GxxSA(-Axxx)	CT-0.9	3.75	77	40	3080	0.002622	8.08	11.82				
			2045-2X13GxxSA(-Axxx)	CT-0.9	3.75	77	40	3080	0.0028405	8.75	12.50				
			2045-2X14GxxSA(-Axxx)	CT-0.9	3.75	66	40	2640	0.003059	8.08	11.82				
DRYING AGENT (干燥劑)	-----	3	2045-2X15GxxSA(-Axxx)	CT-0.9	3.75	66	40	2640	0.0032775	8.65	12.40				
			2045-2X16GxxSA(-Axxx)	CT-0.9	3.75	55	40	2200	0.003496	7.69	11.44				
			2045-2X17GxxSA(-Axxx)	CT-0.9	3.75	55	40	2200	0.0037145	8.17	11.92				
			2045-2X18GxxSA(-Axxx)	CT-0.9	3.75	55	40	2200	0.003933	8.65	12.40				
			2045-2X19GxxSA(-Axxx)	CT-0.9	3.75	44	40	1760	0.0041515	7.31	11.06				

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q2045SPP-128						PAGE:		5/6	REV.	F
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2045-2X20GxxSA(-Axxx)	CT-0.9	3.75	44	40	1760	0.00437	7.69	11.44	
Packing Box (包裝盒)	PVC-2045-02	----	2045-2X21GxxSA(-Axxx)	CT-0.9	3.75	44	40	1760	0.0045885	8.08	11.82	
			2045-2X22GxxSA(-Axxx)	CT-0.9	3.75	44	40	1760	0.004807	8.46	12.21	
			2045-2X23GxxSA(-Axxx)	CT-0.9	3.75	44	40	1760	0.0050255	8.84	12.59	
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----	2045-2X24GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.005244	6.92	10.67	
			2045-2X25GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.0054625	7.21	10.96	
			2045-2X26GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.005681	7.50	11.25	
WATERPROOF BAG (防水袋)	100*70	1	2045-2X27GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.0058995	7.79	11.54	
			2045-2X28GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.006118	8.08	11.82	
			2045-2X29GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.0063365	8.36	12.11	
Foam (保麗龍)	-----	2	2045-2X30GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.006555	8.65	12.40	
			2045-2X31GxxSA(-Axxx)	CT-0.9	3.75	33	40	1320	0.0067735	8.94	12.69	
			2045-2X32GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.006992	6.15	9.90	
DRYING AGENT (干燥劑)	-----	3	2045-2X33GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.0072105	6.35	10.09	
			2045-2X34GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.007429	6.54	10.29	
			2045-2X35GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.0076475	6.73	10.48	
			2045-2X36GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.007866	6.92	10.67	
			2045-2X37GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.0080845	7.11	10.86	

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)	Q2045SPP-128								PAGE:	6/6	REV.	F
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
PAPER BOXES (紙箱)	CT-0.9	1	2045-2X38GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.008303	7.31	11.06	
Packing Box (包裝盒)	PVC-2045-02	----	2045-2X39GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.0085215	7.50	11.25	
			2045-2X40GxxSA(-Axxx)	CT-0.9	3.75	22	40	880	0.00874	7.69	11.44	
Packing Box Cover (包裝盒蓋子)	PVC-2045-02	----										
WATERPROOF BAG (防水袋)	100*70	1										
Foam (保麗龍)	-----	2										
DRYING AGENT (干燥劑)	-----	3										

1.NOTE:

(注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)