

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q3012SPP-182		PAGE 1/6		REV. L
APPLICABLE CUSTOMER (適用客戶) ALL	APPLICABLE PRODUCT (適用產品) 3012-xxG(C)xxSxA(/Axxx&HT) 3012-xxGxxSPxA(/Axxx&HT)	PACKAGING CATEGORY (包裝方式) TRAY PLATE PACKING		

REVISION HISTORY (修訂履歷)

ECN REV. NO	PAGE (頁次)								
	1	2	3	4					
J	Revise material number (修改料號)								
K	Abandon CT-1.9 paper box (去掉CT-1.9規格紙箱)								
L	Change PVC-073 to PVC-073-1 (更新料号PVC-073 为PVC-073-1)								

DIVISION (事業單位) Product Development (產品開發課)	APPROVED (核准)	CHECKED (審核)	PREPARED (制表) 09/30'19
---	---------------	--------------	------------------------

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號) Q3012SPP-182


PAGE 2/6 REV. L

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備注)

Laying Product Diagram:

(產品擺放圖示)



3012-xxGxxSxA(/Axxx&HT)



3012-xxGxxSPxA(/Axxx&HT)

一.PVC Plate Packing Mode:

(PVC盤包裝方式)

- (1).CT-1.6 Box: PVC-10 XX PCS.
(CT-1.6 規格的紙箱放PVC-10盤 XX PCS)
- (2).Put product in each trough fully as shown in diagram.
(產品在盤子中擺放方式如圖所示)
- (3).After filling each trough with product fully,cover it with transparent upper cover PVC-073-1 1PCS.
(每箱放滿產品後,加蓋透明上蓋 PVC-073-1 1PCS)
- (4).Stack the XX PVC plates filled with product, put them in the paper box in which has been put waterproof bag.
(將放滿產品的XX個PVC盤疊起,裝入防水袋放入紙箱內)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.




PACKAGING SPECIFICATION (包裝作業規範)

<input checked="" type="checkbox"/> CONFIDENTIAL <input type="checkbox"/> TOP SECRET	
PAGE	3/6
REV.	L

SPEC.NO.(規範編號) Q3012SPP-182

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode:

(外箱包裝方式)

- (1). Paper box 1.6 standard 1 PCS, as shown in drawing Two.
(紙箱1.6規格 1 PCS, 如(圖二)所示)
- (2). Put one Foam Board in the upper and lower of the paper box, 2PCS in all, as shown in drawing One.
(每箱上下各放一塊保麗龍, 共2PCS, 如(圖一)所示)
- (3). Put 1 PCS waterproof in the paper box, as shown in drawing Two.
(紙箱內側放入防水袋 1 PCS, 如(圖二)所示)
- (4). Piled the XX packing plates packed up in the waterproof.
(將放滿產品的XX個PVC盤疊起, 裝入防水袋內)
- (5). Seal the waterproof bag, then put the Foam Board 1PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋, 然後放上第二塊保麗龍薄板)
(必要時, 在紙箱的左右兩側各放一塊保麗龍)
- (6). Seal the surface of the outer box, as shown in drawing Three.
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

PAGE: 4/6 REV. L

PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-1.6	1	3012-10GxxSxA(/Axxx&HT)	CT-1.6	4.3041	380	20	7600	0.00129	9.804	14.1081
Packing Box (包裝盒)	PVC-10	----	3012-14GxxSxA(/Axxx&HT)	CT-1.6	4.3041	300	20	6000	0.00178	10.68	14.9841
Packing Box Cover (包裝盒蓋子)	PVC-073-1	1	3012-16GxxSxA(/Axxx&HT)	CT-1.6	4.3041	280	20	5600	0.002025	11.34	15.6441
			3012-20GxxSxA(/Axxx&HT)	CT-1.6	4.3041	240	20	4800	0.002515	12.072	16.3761
WATERPROOF BAG (防水袋)	100x90	1	3012-26GxxSxA(/Axxx&HT)	CT-1.6	4.3041	180	20	3600	0.00325	11.7	16.0041
Foam (保麗龍)	-----	2	3012-30GxxSxA(/Axxx&HT)	CT-1.6	4.3041	160	20	3200	0.00374	11.968	16.2721
			3012-34GxxSxA(/Axxx&HT)	CT-1.6	4.3041	140	20	2800	0.00423	11.844	16.1481
DRYING AGENT (干燥劑)	-----	3	3012-40GxxSxA(/Axxx&HT)	CT-1.6	4.3041	120	20	2400	0.004965	11.916	16.2201
			3012-50GxxSxA(/Axxx&HT)	CT-1.6	4.3041	100	20	2000	0.00619	12.38	16.6841

1.NOTE: (注意)
 When the finished products have been made,take the actual weight as the standard of gross weight in each box.
 (成品出貨時,每箱之毛重應以實測重量為準)
 When the finished products have been made,stick the proper designation list on the box according to product demand.
 (成品出貨時,依據出貨要求貼上相對應的標籤單)
 It doesn't influence the manner of packing with the gold-plated way to print word way,Can amalgamate.
 (印字方式跟鍍金方式不影響包裝方式,可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q3012SPP-182										PAGE:	5/6	REV.	L
PACKING MATERIAL (包裝材料)			PRODUCT P/N		CT NO.	PACKING N.W.		PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg				
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)		(紙箱規格)	(包材重量)		PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX		
PAPER BOXES (紙箱)	CT-1.6	1	3012-60GxxSxA(/Axxx&HT)		CT-1.6	4.3041		80	20	1600	0.007415	11.864	16.1681		
Packing Box (包裝盒)	PVC-10	----	3012-64GxxSxA(/Axxx&HT)		CT-1.6	4.3041		80	20	1600	0.007905	12.648	16.9521		
Packing Box Cover (包裝盒蓋子)	PVC-073-1	1	3012-10GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		190	30	5700	0.0015	8.55	12.8541		
			3012-14GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		150	30	4500	0.001973	8.8785	13.1826		
WATERPROOF BAG (防水袋)	100x90	1	3012-16GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		140	30	4200	0.00221	9.282	13.5861		
			3012-20GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		120	30	3600	0.002683	9.6588	13.9629		
Foam (保麗龍)	-----	2	3012-26GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		90	30	2700	0.003393	9.1611	13.4652		
			3012-30GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		80	30	2400	0.003867	9.2808	13.5849		
DRYING AGENT (干燥劑)	-----	3	3012-34GxxSPxA(/Axxx&HT)		CT-1.6	4.3041		70	30	2100	0.00434	9.114	13.4181		

1.NOTE: (注意)

When the finished products have been made, take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made, stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

It doesn't influence the manner of packing with the gold-plated way to print word way, Can amalgamate.

(印字方式跟鍍金方式不影響包裝方式, 可以共用)

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

SPEC.NO.(規範編號)		Q3012SPP-182						PAGE:	6/6	REV.	L
PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg		
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-1.6	1	3012-40GxxSPxA(/Axxx&HT)	CT-1.6	4.3041	60	30	1800	0.00505	9.09	13.3941
Packing Box (包裝盒)	PVC-10	----	3012-50GxxSPxA(/Axxx&HT)	CT-1.6	4.3041	50	30	1500	0.006233	9.3495	13.6536
Packing Box Cover (包裝盒蓋子)	PVC-073-1	1	3012-60GxxSPxA(/Axxx&HT)	CT-1.6	4.3041	40	30	1200	0.007416	8.8992	13.2033
			3012-64GxxSPxA(/Axxx&HT)	CT-1.6	4.3041	40	30	1200	0.00789	9.468	13.7721
WATERPROOF BAG (防水袋)	100x90	1									
Foam (保麗龍)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE: (注意)

When the finished products have been made,take the actual weight as the standard of gross weight in each box.

(成品出貨時,每箱之毛重應以實測重量為準)

When the finished products have been made,stick the proper designation list on the box according to product demand.

(成品出貨時,依據出貨要求貼上相對應的標籤單)

It doesn't influence the manner of packing with the gold-plated way to print word way,Can amalgamate.

(印字方式跟鍍金方式不影響包裝方式,可以共用)